

Message

From: Johnson, Bill@Waterboards [Bill.Johnson@waterboards.ca.gov]
Sent: 9/21/2018 5:25:42 PM
To: Blake, Ellen [Blake.Ellen@epa.gov]; Smith, DavidW [Smith.DavidW@epa.gov]
CC: VonVacano, Marcela [VonVacano.Marcela@epa.gov]; Mitschele, Becky [Mitschele.Becky@epa.gov]; Jessica Watkins [Jessica.Watkins@Waterboards.ca.gov]; Austin, Tamarin@Waterboards [Tamarin.Austin@waterboards.ca.gov]; Marc Melnick (Marc.Melnick@doj.ca.gov) [Marc.Melnick@doj.ca.gov]; Ciccarelli, Paul@Waterboards [Paul.Ciccarelli@Waterboards.ca.gov]; Fischer, Jim@Waterboards [Jim.Fischer@waterboards.ca.gov]; Mumley, Thomas@Waterboards [Thomas.Mumley@waterboards.ca.gov]; Daniel Harris (Daniel.Harris@doj.ca.gov) [Daniel.Harris@doj.ca.gov]
Subject: RE: LTCP Table for Draft Oceanside Permit

Ellen and Dave,

Jessica and I are very happy with where the Oceanside permit stands at this point, and we I don't see anything that should keep us from sharing the full administrative draft with SFPUC very soon. As you know, we're scheduled to meet with SFPUC to discuss the LTCP on October 4 and 5 (or, as things develop, maybe just October 4). We believe it's critical to share at least the LTCP portion (Table 7) of the administrative draft permit with SFPUC prior to October 4 if that meeting is to be productive. Please let us know as soon as you're comfortable sharing the draft LTCP permit language, or ideally the entire draft (or suggest last-minute tweaks). Thanks!

Bill Johnson
Chief, NPDES Wastewater and Enforcement Division
San Francisco Bay Regional Water Quality Control Board
510-622-2354

From: Watkins, Jessica@Waterboards
Sent: Friday, September 21, 2018 9:25 AM
To: Becky Mitschele <Mitschele.Becky@epa.gov>
Cc: Blake, Ellen <Blake.Ellen@epa.gov>; VonVacano, Marcela <VonVacano.Marcela@epa.gov>; David W. Smith <smith.davidw@epa.gov>; Johnson, Bill@Waterboards <Bill.Johnson@waterboards.ca.gov>
Subject: RE: LTCP Table for Draft Oceanside Permit

Hi Becky,

Attached is the revised Oceanside permit. Bill and I accepted most of EPA's revisions and made some additional revisions to the draft permit. Only a couple points worth mentioning:

1. We think the discharge prohibitions in our Basin Plan apply throughout the Region, including discharges to the ocean; thus, we kept the language regarding the exception to the shallow water discharge prohibition. Tamarin is going to review this when she has time in the next couple weeks.
2. There are only a couple comments in the margins for your review. Give me or Bill a call if you'd like to discuss our changes to the LTCP Table.
3. At some point, we would like Marcela (or any EPA attorney) to explain to Tamarin why EPA does not want to include LTCP Element No. 4 (Evaluation of Alternatives) in the LTCP Table. We just want to understand EPA's point of view better to help us get on board.

Thanks for all your hard work on this.

Best,
Jessica

Jessica Watkins, P.E.
Water Resource Control Engineer

San Francisco Bay Regional Water Quality Control Board
1515 Clay Street, Suite 1400
Oakland, CA 94612
Phone (510) 622-2349
Fax (510) 622-2460

From: Mitschele, Becky <Mitschele.Becky@epa.gov>
Sent: Tuesday, September 18, 2018 4:55 PM
To: Watkins, Jessica@Waterboards <Jessica.Watkins@waterboards.ca.gov>
Cc: Blake, Ellen <Blake.Ellen@epa.gov>; VonVacano, Marcela <VonVacano.Marcela@epa.gov>; David W. Smith <smith.davidw@epa.gov>; Johnson, Bill@Waterboards <bill.johnson@waterboards.ca.gov>
Subject: LTCP Table for Draft Oceanside Permit

Hi Jessica,

Please find attached a revised version of the LTCP table.

Thanks,
Becky Mitschele
U.S. EPA Region 9, Water Division
(415) 972 - 3492